Huge Sunspot Causes Magnetic Storms

A sizable sunspot with extraordinary magnetic field has just passed across the sun's face. It was seen in the solar telescopes of the Mt. Wilson Observatory by Dr. Seth B. Nicholson and his associates. To it are attributed the magnetic storms of a few days ago that affected instruments in various parts of the world.

The ordinary solar magnetic field, surrounding a spot, has a value of 50 gausses, the units in which the physicist measures magnetic intensity, but the sunspot just observed has a value of 4000 at its center. The earth's magnetic field, measured in the same units, is only one-half a gauss, but ordinary magnets used in electrical work often have fields of over 10,000 gausses.

Seldom does the astromer encounter such a highly magnetic spot. Intensities of 3500 are usual. Although a greater intensity would not be unusual in a small magnet here on the earth, it is unusual when it occurs in a sunspot, such as the recent one.

This spot was 33,000 miles long and 20,000 miles wide. It was a single solar marking located about sixteen degrees to the south of the sun's equator. Two weeks from now

Gorillas at Home

Africa, the once-thought "inexhaustible paradise of game", is going the way of the North America of the past century, and it may not be long before it will be impossible for even a Carl Akeley to assemble such a group as is depicted on the cover of this issue of the Science News-Let-This great scientist-explorerartist visited the gorillas, the biggest of the primates and in some ways the most manlike, in their homes in the remote fastnesses of the Congo, helped to secure the specimens, and then set them up in the American Museum of Natural History in New York.

The fashion of mounting gorillas has changed in the past few years. Formerly it was the custom to show the male animal with his lips curled back, exposing his great teeth and giving his face an expression of the utmost ferocity. Naturalists now are fairly well agreed that this was a libel committed for no better purpose than to display a fine battery of incisors and canines. Except when molested by a hunter, the gorilla is said to be a decently-behaved citizen of the jungle.

Science News-Letter, August 3, 1929

it is likely to reappear on the sun's surface, as by that time the sun's slow rotation will have carried it completely around. Mt. Wilson astronomers say that it will again cross the sun's meridian on August 14, if it survives. Then it may again be accompanied by magnetic storms on the earth.

Sunspots occur in the surface of the sun—the layer that astronomers call the photosphere. A mass of hot gases shoots up from the interior of the sun to the surface, rapidly revolving like a bullet in a rifle barrel. As they get to the surface, a whirl-pool of gases results, the pressure is reduced and they are rapidly cooled. This sudden cooling causes a reduction in brilliance, and so the spots appear dark against the more brilliant solar background. They shoot out streams of tiny electrical particles, or electrons, which may reach the earth when the spot is on the right side of the sun. These electrons, acting in conjunction with the magnetic field of the earth itself, produce such effects as the northern lights, and the magnetic storms that may tie up telegraphic communication.

Science News-Letter, August 3, 1929

Infringement of Food

Physiological Chemistry
The Wisconsin Alumni Research Foundation has filed suit against the Solar Research Corporation and the Sargent Drug Company, charging infringement of patent rights which the Foundation holds on the process of irradiating foods and medicines.

The patent rights cover the process developed by Prof. Harry Steenbock of the University of Wisconsin, by which foods and medicines may be supplied with vitamin D, or their vitamin D content increased, as a result of exposure to ultra-violet rays. This vitamin is the growth-promoting anti-rachitic factor contained in large amounts in cod liver oil and in lesser amounts in certain foods. When Prof. Steenbock found a way of making ordinary foods rich in this important vitamin, the Wisconsin Alumni Research Foundation applied for patent rights on the process, so that its benefits might be made available to the public under properly controlled conditions.

Licenses to use the patented process have been granted to some commercial companies. The proceeds from the licenses of the patent rights are used for further scientific research at the University of Wis-

Science News-Letter, August 3, 1929

August Meteors—Continued

there is no use trying to observe them from a big city, so get out into the country, away from the bright lights, and where you have a clear view of the northeastern horizon. Start observing about midnight, if it is clear. As the moon is at first quarter on the twelfth, it sets at midnight, and the sky is dark. Have a small flashlight handy to see the map, but the light had better be covered with several thicknesses of tissue paper. Otherwise its brilliant glare may temporarily blind you to a faint meteor. As soon as you see a meteor, notice its path in the sky. By holding a ruler at arm's length, parallel to the meteor's path, and sighting along it, you can do this most Then, with the aid of the flashlight, draw its path on the map. Number it, and on a separate sheet note the time and brightness. You can judge its brightness as compared with nearby stars. The numbers on certain stars on the map refer to their magnitude, and provide a scale with which to judge the brightness of the meteors. If you can't chart the meteors, simply count them. On a piece of paper lay out a series of

spaces, marked 12:00 to 12:30, 12:30 to 1:00, etc. Every time you see a meteor during these times make a check, then you can count up totals later.

And then, when the night is over, don't forget to send your material to Dr. Charles P. Olivier, University of Pennsylvania, Philadelphia, Pa. Tell, as accurately as possible, the location from which you observed the meteors. Professor Olivier is president of the American Meteor Society and operates a clearing house for information concerning them, and your data will help his studies.

Science News-Letter, August 3, 1929

Death Rate Increases

Latest figures from the U. S. Bureau of Čensus show an increase in the death rate for the registration area of the country, clusive of Massachusetts and Utah. At the same time the birth rate fell off. The latter was 19.7 for 1928 compared with 20.7 for 1927. In the same area the death rate was 12.3 in 1928 compared with a rate of 11.4 in 1927.

Science News-Letter, August 3, 1929